

SAFETY DATA SHEET

M1252 NA_EN



POTASSIUM CARBONATE (ANHYDROUS ALL GRADES)

MSDS No.: M1252

Rev. Date: 07-Aug-2012

Rev. Num. 03

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Company Identification: Armand Products Company
469 North Harrison Street
Princeton, NJ 08543-5297

24 Hour Emergency Telephone Number: 1-800-733-3665 or 1-972-404-3228 (U.S.); CHEMTREC (U.S.): 1-800-424-9300; CHEMTREC (outside U.S.): +1 703-527-3887

To Request an SDS: MSDS@oxy.com or 1-972-404-3245

Customer Service: 1-800-522-0540 or 1-609-683-5900

Trade Name: Potassium Carbonate Extra Fine; Potassium Carbonate Glass; Potassium Carbonate Dense Granular; Potassium Carbonate Fine

Synonyms: Pearlash, Potash, PotCarb

Product Use: Glass Production Photographic Detergents / Soaps Fertilizer * Rubber products
Pharmaceuticals Potassium Silicates Food processing Gas Treatment Agricultural
Chemicals Cement Catalysts

Note: *Check with national and local regulatory agencies to determine status of use in a fertilizer application

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

Color: White
Physical State: Granular powder
Appearance: Free-flowing, Granular
Signal Word: **WARNING**

MAJOR HEALTH HAZARDS: CAUSES SERIOUS EYE IRRITATION. CAUSES SKIN IRRITATION. MAY CAUSE RESPIRATORY TRACT IRRITATION.

POTASSIUM CARBONATE (ANHYDROUS ALL GRADES)

M1252 NA_EN

MSDS No.: M1252

Rev. Date: 07-Aug-2012

Rev. Num. 03

PHYSICAL HAZARDS: MAY BE CORROSIVE TO METALS.

AQUATIC TOXICITY: HARMFUL TO AQUATIC LIFE.

ECOLOGICAL HAZARDS: May increase pH of waterways and adversely effect aquatic life.

PRECAUTIONARY STATEMENTS: Keep only in original container. Wash skin and contaminated clothing thoroughly after handling. Wear protective gloves, protective clothing, eye, and face protection. Avoid breathing dust. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Absorb spillage to prevent material damage.

POTENTIAL HEALTH EFFECTS:

Inhalation: Not acutely toxic by inhalation.

Skin contact: Substance may cause slight skin irritation.

Eye contact: May cause eye irritation, which if untreated, can be severe and permanent.

Ingestion: Ingestion may cause irritation and burns from the mouth to the stomach. Ingesting massive amounts may cause ulcerations, vomiting, and death from shock.

Chronic Effects: Repeated or prolonged contact may result in dermatitis.

See Section 11: TOXICOLOGICAL INFORMATION

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	%	CAS Number
Potassium Carbonate	98.5 - 100	584-08-7

4. FIRST AID MEASURES

INHALATION: If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. If respiration or pulse has stopped, have a trained person administer basic life support (Cardio-Pulmonary Resuscitation and/or Automatic External Defibrillator) and CALL FOR EMERGENCY SERVICES IMMEDIATELY.

SKIN CONTACT: Immediately brush off excess chemical and flush with plenty of soap and water. Remove contaminated clothing, jewelry, and shoes immediately. Remove contaminated clothing and gloves, and decontaminate or discard before reuse. Discard footwear which cannot be decontaminated. IF IRRITATION OCCURS, GET MEDICAL ATTENTION.

EYE CONTACT: Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Washing eyes within several seconds is essential to achieve maximum effectiveness. GET MEDICAL ATTENTION IMMEDIATELY.

POTASSIUM CARBONATE (ANHYDROUS ALL GRADES)

M1252 NA_EN

MSDS No.: M1252

Rev. Date: 07-Aug-2012

Rev. Num. 03

INGESTION: If swallowed, DO NOT INDUCE VOMITING. Rinse mouth. Give water. Never give anything by mouth to an unconscious or convulsive person. If vomiting occurs spontaneously, keep airway clear. GET MEDICAL ATTENTION IMMEDIATELY.

5. FIRE-FIGHTING MEASURES

Fire Hazard: Negligible fire hazard.

Extinguishing Media: Use extinguishing medium as appropriate for surrounding fire.

Fire Fighting: Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

Sensitivity to Mechanical Impact: Not sensitive.

Sensitivity to Static Discharge: Not sensitive.

Flash point: Not flammable

6. ACCIDENTAL RELEASE MEASURES

Occupational Release: Wear appropriate personal protective equipment recommended in Section 8 of the SDS. Shovel dry material into suitable container. Flush spill area with water, if appropriate. Keep out of water supplies and sewers. Releases should be reported, if required, to appropriate agencies.

7. HANDLING AND STORAGE

Storage Conditions: Store and handle in accordance with all current regulations and standards. Keep container tightly closed and properly labeled. Granular material is slightly hygroscopic; ground material is very hygroscopic. Store in a cool, dry area. Keep separated from incompatible substances (see Section 10 of the Safety Data Sheet). Store in original container.

Handling Procedures: Avoid breathing dust. When using, do not eat, drink or smoke. Wash thoroughly after handling. Do not reuse containers. Use only in well-ventilated areas.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Regulatory Exposure Limit(s): None

Non-Regulatory Exposure Limit(s): As listed below

POTASSIUM CARBONATE (ANHYDROUS ALL GRADES)

M1252 NA_EN

MSDS No.: M1252

Rev. Date: 07-Aug-2012

Rev. Num. 03

OXY REL

8 hr TWA : Recommended Exposure Limit: 2 mg/m³ recommended Time Weighted Average 8 hour (internal Occupational Exposure Limit) (Inhalable Particulate)

ENGINEERING CONTROLS: Provide local exhaust ventilation where dust or mist may be generated. Ensure compliance with applicable exposure limits.

PERSONAL PROTECTIVE EQUIPMENT:

Eye Protection: If eye contact is likely, wear chemical resistant safety goggles. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin and Body Protection: Contaminated clothing should be removed, then discarded or laundered. Discard contaminated leather goods. Wear protective clothing to minimize skin contact. When potential for contact with wet material exists, wear Tychem® or similar chemical protective suit.

Hand Protection: Wear appropriate chemical resistant gloves. Consult a glove supplier for assistance in selecting an appropriate chemical resistant glove.

Protective Material Types: Butyl rubber, Natural rubber, Neoprene, Nitrile

Respiratory Protection: A NIOSH approved respirator with high efficiency particulate air (HEPA) cartridges may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits, or when symptoms have been observed that are indicative of overexposure. When an air purifying respirator is not adequate for spills and/or emergencies of unknown concentrations, an approved self-contained breathing apparatus operated in the pressure demand mode is required. A respiratory protection program that meets 29 CFR 1910.134 must be followed whenever workplace conditions warrant use of a respirator.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Granular powder
Appearance:	Free-flowing, Granular
Color:	White
Molecular Weight:	138.21
Molecular Formula:	K ₂ CO ₃
Boiling Point/Range:	Not applicable
Melting Point/Range:	1636 °F (891 °C)
Vapor Pressure:	Not applicable
Vapor Density (air=1):	Not applicable
Specific Gravity (water=1):	2.428 @ 19 (°C)
Density:	1201 - 1330 g/L (granular); 560 - 625 g/L (ground) @ 20 °C
Bulk Density:	75-83 lb/ft ³ (granular; 35-39 lb/ft ³ (ground) @ 20 °C
Water Solubility:	100%
pH:	moderately basic in solution
Volatility:	Not applicable
Evaporation Rate (ether=1):	Not applicable
Partition Coefficient (n-octanol/water):	Not applicable
Flash point:	Not flammable

POTASSIUM CARBONATE (ANHYDROUS ALL GRADES)

M1252 NA_EN

MSDS No.: M1252

Rev. Date: 07-Aug-2012

Rev. Num. 03

10. STABILITY AND REACTIVITY

Reactivity/ Stability: Stable at normal temperatures and pressures.

Conditions to Avoid: Avoid contact with lime to prevent formation of corrosive potassium hydroxide (KOH).

Incompatibilities/ Materials to Avoid: Acids, Prolonged contact with aluminum, brass, bronze, copper, lead, tin, zinc or other alkali sensitive metals or alloys

Hazardous Decomposition Products: Carbon oxides, Potassium oxides

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

TOXICITY DATA:

LD50 Oral: 1,870 mg/kg (rat); 2570 mg/kg (mouse)

LC50 Inhalation: > 4.96 mg/l (rat/4.5 hour)

LD50 Dermal: > 2,000 mg/kg

ACUTE TOXICITY:

May cause eye irritation, that if untreated can be severe and permanent. May cause slight skin and respiratory irritation. This material when applied to the skin of guinea pigs did not elicit any dermal sensitization reaction. Ingestion may cause irritation and burns from the mouth to the stomach. Ingesting massive amounts may cause ulcerations, vomiting, and death from shock.

CARCINOGENICITY: This product is not classified as a carcinogen by NTP, IARC or OSHA.

MUTAGENIC DATA: Tested negative in test systems evaluated.

REPRODUCTIVE TOXICITY: No studies were located.

DEVELOPMENTAL TOXICITY: No discernable effects on maternal or fetal survival were observed in animal studies.

12. ECOLOGICAL INFORMATION

ECOTOXICITY DATA:

Freshwater Fish Toxicity:

LC50 Bluegill sunfish 230 mg/l/96 hr

LC50 Rainbow trout 68 mg/l/96 hr

LC50 Pimephales promelas (fathead minnow) 940 mg/l/24 hr

LC50 Pimephales promelas (fathead minnow) 820 mg/l/48 hr

LC50 Pimephales promelas (fathead minnow) <510 mg/l/96 hr

POTASSIUM CARBONATE (ANHYDROUS ALL GRADES)

M1252 NA_EN

MSDS No.: M1252

Rev. Date: 07-Aug-2012

Rev. Num. 03

Invertebrate Toxicity:

EC50 Daphnia magna 430 mg/l/48 hr (hard water)
EC50 Daphnia pulex 200 mg/l/48 hr (soft water)

Other Toxicity:

LC50 Ceriodaphnia dubia (water flea) 630 mg/l/24 hr
LC50 Ceriodaphnia dubia (water flea) 630 mg/l/48 hr
LC50 Daphnia magna (water flea) 670 mg/l/24 hr
LC50 Daphnia magna (water flea) 650 mg/l/48 hr

FATE AND TRANSPORT:

BIODEGRADATION: This material is inorganic and not subject to biodegradation.

PERSISTENCE: This material is believed not to persist in the environment.

Bioaccumulative Potential: This material is believed not to bioaccumulate.

ADDITIONAL ECOLOGICAL INFORMATION: May increase pH of waterways and adversely affect aquatic life.

ECOLOGICAL HAZARDS: May increase pH of waterways and adversely effect aquatic life.

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with all applicable regulations. Measure the pH of solutions to determine disposal restrictions. Reuse or reprocess, if possible.

14. TRANSPORT INFORMATION

U.S. DOT 49 CFR 172.101:

Status: Not regulated

CANADIAN TRANSPORTATION OF DANGEROUS GOODS:

Status: Not regulated

15. REGULATORY INFORMATION

U.S. REGULATIONS

OSHA REGULATORY STATUS:

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4): Not regulated.

POTASSIUM CARBONATE (ANHYDROUS ALL GRADES)

M1252 NA_EN

MSDS No.: M1252

Rev. Date: 07-Aug-2012

Rev. Num. 03

- **EPCRA EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.30):**
Not regulated
- **EPCRA SECTIONS 311/312 HAZARD CATEGORIES (40 CFR 370.10):**
Acute Health Hazard
- **EPCRA SECTION 313 (40 CFR 372.65):**
Not regulated.
- **OSHA PROCESS SAFETY (PSM) (29 CFR 1910.119):** Not regulated
- **FDA:** This material has Generally Recognized as Safe (GRAS) status under specific FDA regulations. Additional information is available from the Code of Federal Regulations which is accessible on the FDA's website. This product is not produced under all current Good Manufacturing Practices (cGMP) requirements as defined by the Food and Drug Administration (FDA).

NATIONAL INVENTORY STATUS

- **U.S. INVENTORY STATUS: Toxic Substance Control Act (TSCA):** All components are listed or exempt
- **TSCA 12(b):** This product is not subject to export notification
- **Canadian Chemical Inventory:** All components of this product are listed on either the DSL or the NDSL.

STATE REGULATIONS

California Proposition 65: This product is not listed, but it may contain impurities/trace elements known to the State of California to cause cancer or reproductive toxicity as listed under Proposition 65 State Drinking Water and Toxic Enforcement Act. For additional information, contact OxyChem Customer Service.

Potassium Carbonate		
	California Proposition 65 Cancer WARNING:	Not Listed
	California Proposition 65 CRT List - Male reproductive toxin:	Not Listed
	California Proposition 65 CRT List - Female reproductive toxin:	Not Listed
	Massachusetts Right to Know Hazardous Substance List	Not Listed
	New Jersey Right to Know Hazardous Substance List	Not Listed
	New Jersey Special Health Hazards Substance List	Not Listed
	New Jersey - Environmental Hazardous Substance List	Not Listed
	Pennsylvania Right to Know Hazardous Substance List	Not Listed
	Pennsylvania Right to Know Special Hazardous Substances	Not Listed
	Pennsylvania Right to Know Environmental Hazard List	Not Listed
	Rhode Island Right to Know Hazardous Substance List	Not Listed

CANADIAN REGULATIONS

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations

WHMIS - Classifications of Substances:

- D2B - Poisonous and Infectious Material; Materials causing other toxic effects - Toxic material

POTASSIUM CARBONATE (ANHYDROUS ALL GRADES)

M1252 NA_EN

MSDS No.: M1252

Rev. Date: 07-Aug-2012

Rev. Num. 03

16. OTHER INFORMATION

Prepared by: OxyChem Corporate HESS - Product Stewardship

HMIS: (SCALE 0-4) (Rated using National Paint & Coatings Association HMIS: Rating Instructions, 2nd Edition)

Health: 3 **Flammability:** 0 **Reactivity:** 0

Reason for Revision:

- Updated the (M)SDS header
- Updated 24 Hour Emergency Telephone Number: SEE SECTION 1
- Updated FDA Statement: SEE SECTION 15
- Revised California Proposition 65 Statement: SEE SECTION 15
- Revised Preparer Information: SEE SECTION 16
- Added Revision log: SEE SECTION 16
- Added "End of Safety Data Sheet" phrase

IMPORTANT:

The information presented herein, while not guaranteed, was prepared by technical personnel and is true and accurate to the best of our knowledge. NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, OR WARRANTY OR GUARANTY OF ANY OTHER KIND, EXPRESS OR IMPLIED, IS MADE REGARDING PERFORMANCE, SAFETY, SUITABILITY, STABILITY OR OTHERWISE. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, storage, disposal and other factors that may involve other or additional legal, environmental, safety or performance considerations, and OxyChem assumes no liability whatsoever for the use of or reliance upon this information. While our technical personnel will be happy to respond to questions, safe handling and use of the product remains the responsibility of the customer. No suggestions for use are intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patents or to violate any Federal, State, local or foreign laws.

OSHA Standard 29 CFR 1910.1200 requires that information be provided to employees regarding the hazards of chemicals by means of a hazard communication program including labeling, safety data sheets, training and access to written records. We request that you, and it is your legal duty to, make all information in this Safety Data Sheet available to your employees.

End of Safety Data Sheet