



1. Identification

| Product identifier | QUICK & CLEAN SUPER HIL-TONE | |
|--|---|--|
| Other means of identification | | |
| SDS number | 966N-50A | |
| Product code | HIL01016 | |
| Recommended use | Floor Cleaner | |
| Recommended restrictions | None known. | |
| Manufacturer/Importer/Supplier/Distributor information | | |
| Manufacturer | | |
| Manufacturer | | |
| Company name | HILLYARD INDUSTRIES | |
| Address | 302 North Fourth St. | |
| | St. Joseph, MO 64501 | |
| Contact person | Regulatory Affairs | |
| Telephone number | (816) 233-1321 (Ext. 8285) | |
| Fax | (816) 383-8485 | |
| E-mail | regulatoryaffairs@hillyard.com | |
| Emergency telephone # | (800) 424-9300 | |
| | (Only in the event of chemical emergency involving a spill, leak, fire, exposure, | |
| | or accident involving chemicals.) | |
| | | |

2. Hazard(s) identification

| Physical hazards | Not classified. | |
|-----------------------|---|---|
| Health hazards | Specific target organ toxicity, single exposure | Category 3 respiratory tract irritation |
| Environmental hazards | Not classified. | |
| OSHA defined hazards | Not classified. | |
| | | |

Label elements



| Signal word | Warning |
|--|--|
| Hazard statement | May cause respiratory irritation. |
| Precautionary statement | |
| Prevention | Avoid breathing mist or vapor. Use only outdoors or in a well-ventilated area. |
| Response | If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. |
| Storage | Store in a well-ventilated place. Keep container tightly closed. Store locked up. |
| Disposal | Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law in compliance with applicable federal, state and local requirements. |
| Hazard(s) not otherwise classified (HNOC) | None known. |
| Supplemental information | Use only with adequate ventilation. Do not breathe vapors or spray mist. Ensure fresh air entry during application and drying. Do not spray fine fog mist into sparks or open flame - vapors may ignite. Close container after each use. Avoid prolonged contact with eyes, skin and clothing. Wash thoroughly after handling. Do not take internally. Repeated or prolonged skin contact may produce skin irritation. Do not spray fine fog mist into sparks or open flame - vapors may ignite. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|---|--------------------------|------------|-----------|
| Solvent Refined Heavy Paraffinic Petroleum Oil | | 64741-88-4 | 70 - < 80 |
| Solvent Refined Light Paraffinic Petroleum Oil | | 64741-89-5 | 20 - < 30 |
| Mineral Spirits | | 64742-88-7 | 1 - < 3 |
| Other components below reportable le | evels | | < 0.2 |

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. |
|--|---|
| Skin contact | Wash off with soap and water. Get medical attention if irritation develops and persists. |
| Eye contact | Rinse with water. Get medical attention if irritation develops and persists. |
| Ingestion | Rinse mouth. Get medical attention if symptoms occur. |
| Most important symptoms/effects, acute and delayed | May cause respiratory irritation. |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. |
| General information | If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |

5. Fire-fighting measures

| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). |
|--|---|
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Fire fighting equipment/instructions | Move containers from fire area if you can do so without risk. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |
| General fire hazards | No unusual fire or explosion hazards noted. |

6. Accidental release measures

| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
|---|--|
| Methods and materials for containment and cleaning up | This product is miscible in water. Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. |
| | Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. |
| Environmental precautions | Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. |

7. Handling and storage

Precautions for safe handling Avoid breathing mist or vapor. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Store locked up. Store in original tightly closed container. Store away from incompatible materials Conditions for safe storage, including any incompatibilities (see Section 10 of the SDS).

8. Exposure controls/personal protection

| Occupational exposure limits | No exposure limits noted for ingredient(s). | |
|---|---|--|
| Biological limit values | No biological exposure limits noted for the ingredient(s). | |
| Appropriate engineering controls | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. | |
| Individual protection measures, such as personal protective equipment | | |

Individual protection measures, such as personal protective equipment

| Eye/face protection | Chemical splash goggles where there is a potential for eye contact. |
|-----------------------------------|--|
| Skin protection | |
| Hand protection | Not normally needed. For prolonged or repeated skin contact use suitable protective gloves. |
| Other | Normal work clothing (long sleeved shirts and long pants) is recommended. |
| Respiratory protection | Not normally required with adequate ventilation. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. |
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. |
| General hygiene considerations | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. |

9. Physical and chemical properties

| Appearance | Translucent Colorless to slight yellow liquid |
|--|---|
| Physical state | Liquid. |
| Form | Liquid. |
| Color | Light yellow. |
| Odor | Pleasant odor |
| Odor threshold | Not available |
| рН | Not available |
| Melting point/freezing point | Not applicable / Not available |
| Initial boiling point and boiling | 305 °F (151.67 °C) |
| range | |
| Flash point | 225.0 °F (107.2 °C) Pensky-Martens Closed Cup |
| Evaporation rate | < 1 Ethyl ether = 1 |
| Flammability (solid, gas) | Not established. |
| Upper/lower flammability or exp | losive limits |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | 6.6 mm Hg |
| Vapor density | 4.7 AIR=1 |
| Relative density | 0.857 at 77°C |
| Solubility(ies) | |
| Solubility (water) | Negligible |
| Partition coefficient (n-octanol/water) | Not available |
| Auto-ignition temperature | 469.4 °F (243 °C) |
| Decomposition temperature | Not available |
| | Not available |

| Other information | |
|-------------------|--------------|
| Density | 7.14 lbs/gal |
| Percent volatile | 5 - 7 % |
| VOC (Weight %) | < 3 % |

10. Stability and reactivity

| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
|---------------------------------------|---|
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | Contact with incompatible materials. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | No hazardous decomposition products are known. |

11. Toxicological information

Information on likely routes of exposure

| Inhalation | May cause irritation to the respiratory system. |
|--|--|
| Skin contact | No adverse effects due to skin contact are expected. |
| Eye contact | Direct contact with eyes may cause temporary irritation. |
| Ingestion | Expected to be a low ingestion hazard. |
| Symptoms related to the physical, chemical and toxicological characteristics | May cause respiratory irritation. |
| Information on toxicological effe | cts |
| Acute toxicity | May cause respiratory irritation. |
| Skin corrosion/irritation | Prolonged skin contact may cause temporary irritation. |
| Serious eye damage/eye irritation | Direct contact with eyes may cause temporary irritation. |
| Respiratory or skin sensitization | |
| Respiratory sensitization | Not a respiratory sensitizer. |
| Skin sensitization | This product is not expected to cause skin sensitization. |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| Carcinogenicity | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. |
| US. OSHA Specifically Regul | lated Substances (29 CFR 1910.1001-1050) |
| Not listed. | |
| Reproductive toxicity | This product is not expected to cause reproductive or developmental effects. |
| Specific target organ toxicity - single exposure | May cause respiratory irritation. |
| Specific target organ toxicity - repeated exposure | Not classified. |
| Aspiration hazard | Prolonged inhalation may be harmful. |
| 12. Ecological information | |
| Ecotoxicity | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. |
| Persistence and degradability | No data is available on the degradability of this product. |
| Bioaccumulative potential | No data available. |
| Mobility in soil | No data available. |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |

13. Disposal considerations

| Disposal instructions | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not contaminate ponds, waterways or ditches with chemical or used container. Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law. |
|--|---|
| Local disposal regulations | Dispose in accordance with all applicable regulations. |
| Hazardous waste code | The waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Waste from residues / unused products | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning. |

14. Transport information

DOT

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No chemical SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

- US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.
- US. Massachusetts RTK Substance List

Solvent Refined Light Paraffinic Petroleum Oil (CAS 64741-89-5)

- US. New Jersey Worker and Community Right-to-Know Act
 - Not listed.
- US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Inventory name

On inventory (yes/no)*

Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

| Issue date | 01-27-2015 |
|---------------|---|
| Version # | 01 |
| HMIS® ratings | Health: 2 Flammability: 0 Physical hazard: 0 |
| Disclaimer | No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products. |