

SAFETY DATA SHEET

Alcare Plus® Foamed Antiseptic Handrub

This product is regulated by the FDA, therefore, the requirements for product labeling do not fall under the jurisdiction of the OSHA Hazard Communication Standard according to 29 CFR 1910.1200.

1. Identification

Product identifier

Product name Alcare Plus® Foamed Antiseptic Handrub

Product number 639936, 639957, 639990, 6399P2

Recommended use of the chemical and restrictions on use

Application Hand sanitizer. For hospital and professional use only.

Details of the supplier of the safety data sheet

Supplier Deb USA, Inc. (dba DebMed)

2815 Coliseum Centre Drive, Suite 600 Charlotte, North Carolina 28217 USA

866-783-0422 704-264-9601

Emergency telephone number

Emergency telephone (800) 424-9300 CHEMTREC (North America)

2. Hazard(s) identification

Classification of the substance or mixture

OSHA Regulatory Status This product is regulated by the FDA, therefore, the requirements for product labeling do not

fall under the jurisdiction of the OSHA Hazard Communication Standard according to 29 CFR

1910.1200.

Physical hazards Flam. Aerosol 2 - H223

Health hazards Eye Irrit. 2A - H319

Environmental hazards Not Classified

Label elements

Pictogram





Signal word Warning

Hazard statements H223 Flammable aerosol.

H319 Causes serious eye irritation.

Alcare Plus® Foamed Antiseptic Handrub

Precautionary statements P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking.

P251 Pressurized container: Do not pierce or burn, even after use

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/ attention.

P370+P378 In case of fire: Use alcohol resistant foam, carbon dioxide or dry powder to

extinguish.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/ container in accordance with local regulations.

Other hazards

None.

3. Composition/information on ingredients

Mixtures

ETHANOL 30-60%

CAS number: 64-17-5

Classification

Flam. Liq. 2 - H225 Eye Irrit. 2A - H319

ISOBUTANE 1-5%

CAS number: 75-28-5

Classification

Flam. Gas 1 - H220

Press. Gas, Liquefied - H280 Simple Asphyxiant - USH03

1,1-DIFLUOROETHANE 1-5%

CAS number: 75-37-6

Classification

Flam. Gas 1 - H220

Press. Gas, Liquefied - H280 Simple Asphyxiant - USH03

The full text for all hazard statements is displayed in Section 16.

4. First-aid measures

Description of first aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison center/ doctor if you feel unwell.

Ingestion Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin Contact Skin irritation should not occur when used as recommended. Get medical attention if irritation

persists after washing.

Eye contact Remove any contact lenses and open eyelids wide apart. Important! Immediately rinse with

water for at least 15 minutes. Get medical attention if any discomfort continues.

Alcare Plus® Foamed Antiseptic Handrub

Most important symptoms and effects, both acute and delayed

Inhalation May cause respiratory system irritation.

Ingestion Harmful if swallowed.

Skin contact Not applicable.

Eye contact Irritation of eyes and mucous membranes.

Indication of immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Special hazards arising from the substance or mixture

Flammability Class 6.0 Flammable Gas Liq/Gasous.

Specific hazards May form explosive mixture with air at very high concentration.

Hazardous combustion

products

During fire, toxic gases (CO, CO2) are formed.

Advice for firefighters

Protective actions during

firefighting

Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment

for firefighters

Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents. Use protective equipment appropriate for

surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions No smoking, sparks, flames or other sources of ignition near spillage. Avoid contact with skin,

eyes and clothing. Take precautionary measures against static discharges.

For non-emergency personnel Wear protective clothing. Wear protective gloves. Evacuate area.

For emergency responders Standard Firefighter's clothing including helmets, protective boots and gloves will provide a

basic level of protection for chemical incidents. Evacuate area.

Environmental precautions

Environmental precautions Not considered to be a significant hazard due to the small quantities used. Avoid the spillage

or runoff entering drains, sewers or watercourses.

Methods and material for containment and cleaning up

Methods for cleaning upDo not discharge into drains or watercourses or onto the ground. Avoid contamination of

ponds or watercourses with washing down water. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely.

Use only non-sparking tools.

Reference to other sections For waste disposal, see Section 13.

Alcare Plus® Foamed Antiseptic Handrub

7. Handling and storage

Precautions for safe handling

Usage precautions Avoid contact with eyes.

Conditions for safe storage, including any incompatibilities

Storage precautions Store at room temperature.

Storage class Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

8. Exposure Controls/personal protection

Control parameters

Occupational exposure limits

ETHANOL

Long-term exposure limit (8-hour TWA): OSHA 1000 ppm 1900 mg/m³

ISOBUTANE

Short-term exposure limit (15-minute): ACGIH 1000 ppm 2370 mg/m³

OSHA = Occupational Safety and Health Administration.

ACGIH = American Conference of Governmental Industrial Hygienists.

Exposure controls

Protective equipment



Appropriate engineering

controls

Provide eyewash station and safety shower.

Personal protection Not required normally but wear eye protection if you are conducting an operation where there

is a risk of this product getting in the eyes.

Eye/face protection Not required normally but wear eye protection if you are conducting an operation where there

is a risk of this product getting in the eyes.

Hand protection Hand protection not required.

Respiratory protection Not relevant.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Aerosol.

Color White.

Odor Slight alcoholic.

Odor threshold Not determined.

pH No information available.

Not determined.

Melting point Not determined.

Initial boiling point and range

Alcare Plus® Foamed Antiseptic Handrub

Flash point No information available.

Evaporation rate Not determined.

Evaporation factor No information available.

Upper/lower flammability or

explosive limits

No information available.

Vapor pressure Not determined.

Vapor density Not determined.

Relative density No information available.

Soluble in water.

Partition coefficient Data lacking.

Auto-ignition temperature Scientifically unjustified.

Decomposition Temperature Not determined.

Viscosity

No information available.

Explosive properties

Scientifically unjustified.

Oxidizing properties Does not meet the criteria for classification as oxidizing.

Other information No information required.

10. Stability and reactivity

Reactivity The following materials may react violently with the product: Strong oxidizing agents.

Stable at normal ambient temperatures. Highly flammable liquid and vapour. In use may form

flammable/explosive vapor-air mixture.

Possibility of hazardous

reactions

None known.

Conditions to avoid Avoid exposure to high temperatures or direct sunlight. Stable at normal ambient

temperatures.

Materials to avoid Avoid contact with the following materials: Reducing agents. Strong acids. Strong alkalis.

Strong oxidizing agents.

Hazardous decomposition

products

Oxides of carbon.

11. Toxicological information

Information on toxicological effects

Respiratory Sensitisation Based on available data the classification criteria are not met.

Eye Irritation/Damage May cause temporary eye irritation

Acute toxicity - oral

Notes (oral LD₅o) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₆₀) 18.3 C/ 65.0 F Based on available data the classification criteria are not met.

Alcare Plus® Foamed Antiseptic Handrub

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritationBased on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vivo Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - Based on available data the classification criteria are not met.

development

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

Inhalation No specific health hazards known.

Ingestion May cause discomfort if swallowed.

Skin Contact Skin irritation should not occur when used as recommended.

Eye contact Irritating to eyes.

12. Ecological Information

Ecotoxicity Not regarded as dangerous for the environment.

Toxicity The product is not expected to be hazardous to the environment.

Persistence and degradability

Persistence and degradability No data available.

Bioaccumulative potential

Bio-Accumulative Potential No data available on bioaccumulation.

Partition coefficient Data lacking.

Mobility in soil

Mobility The product is soluble in water.

Other adverse effects

Other adverse effects Avoid release to the environment

Alcare Plus® Foamed Antiseptic Handrub

13. Disposal considerations

Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be

considered.

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. No specific disposal method required. Reuse or recycle

products wherever possible.

14. Transport information

UN Number

UN No. (TDG) 1950 UN No. (IMDG) 1950 UN No. (ICAO) 1950

UN proper shipping name

Proper shipping name (TDG) AEROSOLS
Proper shipping name (IMDG) AEROSOLS
Proper shipping name (ICAO) AEROSOLS

Transport hazard class(es)

TDG class 2.1

TDG label(s) 2.1

IMDG Class 2.1

ICAO class/division 2.1

Transport labels



Packing group

TDG Packing Group None

IMDG packing group None

ICAO packing group None

Environmental hazards

Environmentally Hazardous Substance

No.

Special precautions for user

EmS F-D, S-U

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

Alcare Plus® Foamed Antiseptic Handrub

Regulatory Status This product is manufactured and labeled in compliance with the Federal Food, Drug, and

Cosmetic Act, and is exempt from the labeling requirements of the OSHA Hazard Communication Standard. All components of this product are either on the TSCA 8(b)

inventory or otherwise exempt from listing.

16. Other information

General information This document has been prepared in accordance with the SDS requirements of the OSHA

Hazard Communication Standard 29 CFR 1910.1200

Revision comments This is first issue.

Revision date 2/16/2018

Revision 5

Supersedes date 1/30/2018

SDS No. 21529

Hazard statements in full H220 Extremely flammable gas.

H223 Flammable aerosol.

H225 Highly flammable liquid and vapor.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

USH03 May displace oxygen and cause rapid suffocation

NFPA - health hazard Irritation, minor residual injury. (1)

NFPA - flammability hazard Extremely flammable. (4)

NFPA - instability hazard Normally stable. (0)

Notes For Risk Phrases And

Hazard Statements In Full

The full text for Hazard Statements in section 16 relates to the reference numbers in sections

2 and 3 and not necessarily the finished product classification.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.