SAFETY DATA SHEET

Nautilus PPE alcohol antiseptic 80% topical solution

1.PRODUCT IDENTIFICATION

Product Id: 23-0260

Product name: Nautilus PPE alcohol antiseptic 80% topical solution

Product/Recommended Uses: Sanitizer

2.HAZARD IDENTIFICATION

Classification:

Flammable liquids 3 Eye irritation 2A

Pictograms:

Signal word : WARNING Hazard Statement:

H226 - Flammable liquid and vapor.

H319 - Causes serious eye irritation.

Precautionary statements:

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read label before use.

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 - Keep container tightly closed.

P243 - Take precautionary measures against static discharge.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice/attention.

P403 + P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component CAS# Percent by weight Ethanol 64-17-5 60 - 80 Water 7732-18-5 20 - 30 Glycerine 56-81-5 1 - 2 Hydrogen Peroxide 7722-84-1 <1.0

4.FIRST AID MEASURES

EYES: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. If easy to do, remove contact lenses, if worn.

INGESTION: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

INHALATION: If inhaled, remove to fresh air. Get medical attention if symptoms occur.

5.FIREFIGHTING MEASURES

SUITABLE EXTINGUISHING MATERIAL:

Use water, Alcohol-resistant foam, dry chemical, or carbon dioxide. Carbon dioxide can displace oxygen. Use caution when applying carbon dioxide in confined spaces. Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam.

FIRE-FIGHTING PROCEDURES:

Isolate immediate hazard area and keep unauthorized personnel out. Stop spill/release if it can be done safely. Move undamaged containers from immediate hazard area if it can be done safely. Water spray may be useful in minimizing or dispersing vapors and to protect personnel. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6.ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods for containment/cleaning up:

Contain spillage and collect with non-combustible absorbent material. Disposal should be in accordance with all applicable local, state and federal regulations.

7.PRECAUTIONS FOR SAFE HANDLING AND USE

GENERAL:

Keep away from children. Do not get in eyes. Do not breathe vapors or mists.

VENTILATION REQUIREMENTS:

Use with local exhaust ventilation.

CONDITIONS FOR SAFE STORAGE:

Keep container(s) tightly closed and properly labeled. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet OSHA standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Do not cut, drill, grind, weld, or perform similar operations on or near containers. Do not pressurize containers to empty them. Store at temperatures below 120°F.

8.EXPOSURE CONTROL / PPE

EYE PROTECTION: None required under normal conditions of use. **SKIN PROTECTION:** None required under normal conditions of use.

RESPIRATORY PROTECTION: None required under normal conditions of use.

Ingredients CAS OSHA PEL NIOSH REL ACGIH TLV

Ethanol 64.17.5 1000 ppm (TWA)

1900 mg/m 3 (TWA) 1000 ppm (TWA) 1900 mg/m 3 (TWA) 1000 ppm (STEL)

9.PHYSICAL & CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid APPEARANCE: Clear liquid

ODOR: Ethanol

SPECIFIC GRAVITY: 0.774 - .946 **SOLUBILITY:** No data available

pH: 6.175 - 7.535

VAPOR PRESSURE(mmHg @20c): No data available

VAPOR DENSITY: No data available FLASH POINT(°C CLOSED CUP): 25°C

MELTING POINT/FREEZING POINT(°C): No data available

BOILING POINT(°C): No data available

AUTO-IGNITION TEMPERATURE(°C): No data available **DECOMPOSITION TEMPERATURE(°C):** No data available

EVAPORATION RATE: No data available

VISCOSITY(cP): <150 % VOC: No data available

10.STABILITY AND REACTIVITY

REACTIVITY: No data available **CHEMICAL STABILITY:** Stable

POSSIBILITY OF HAZARDOUS REACTIONS: Flammable liquid and vapor. Vapors may

form explosive mixture with air. Can react with strong oxidizing agents.

CONDITIONS TO BE AVOIDED: Heat, flames and sparks.

INCOMPATIBLE MATERIALS: Oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Hazardous decomposition products formed

under fire conditions. - Carbon oxides.

11.TOXICOLOGICAL INFORMATION

SKIN CORROSION/IRRITATION: N/A
SERIOUS EYE DAMAGE/IRRITATION: N/A
RESPIRATORY OR SKIN SENSITIZATION: N/A

GERM CELL MUTAGENICITY : N/A

CARCINOGENICITY: Not known to be as defined by OSHA, IARC or NTP.

REPRODUCTIVE TOXICITY: N/A

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE: N/A SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE: N/A

ASPIRATION HAZARD: N/A

12.ECOLOGICAL INFORMATION

This product is safe for the environment at the concentrations predicted under normal use conditions.

13.DISPOSAL CONSIDERATIONS

WATER DISPOSAL: Under RCRA, it is the responsibility of the user of the product, to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste. Waste management should be in full compliance with federal, state, and local laws.

14.TRANSPORT INFORMATION

TARIFF#: N/A

UN/NA ID# UN 1170

Proper Shipping Name: Ethanol Solution

DOT: UN 1170 HAZARD CLASS: 3 PACKING GROUP: III

IMO: N/A
IATA: N/A

15.REGULATORY INFORMATION

INTERNATIONAL REGULATIONS:

CAL PROP 65: This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

OSHA Hazards: None/no reportable quantities. **SARA 302:** None/no reportable quantities.

TSCA: All substances in this product are listed on the TSCA inventory if required.

16.ADDITIONAL INFORMATION

HMIS Classification:

Health Hazard: 2 Flammability: 3 Physical Hazards: 0

DISCLAIMER: The information contained in this Safety Data Sheet was obtained from current and reputable sources. However this data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product. Many federal and state; regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize themselves with all applicable regulations.

Legend:

ACGIH: American Conference of Governmental &

Industrial Hygienists

CAS: Chemical Abstract Service CFR: Code of Federal Regulations DOT: Department of Transportation

GHS: Globally Harmonized System of Chemical

Classification and Labelling

HMIS: Hazardous Materials Identification System IARC: International Agency for the Research of

Cancer

IATA: International Air Traffic Association IDLH: Immediately Dangerous to Life or Health IMDG: International Maritime Dangerous Goods IMO: International Maritime Organizations

NIOSH: National Institute of Occupational Safety and

Health

NTP: National Toxicology Program NFPA: National Fire Protection Association NTP: National Toxicology Program

OSHA: Occupational Safety & Health Administration

PEL: Permissible Exposure Limits

RCRA: Resource Conservation & Recovery Act

REL: Recommended Exposure Limits

SARA: Superfund Amendments & Reauthorization Act

STEL: Short Term Exposure Limit TLV: Threshold Limit Value TSCA: Toxic Substances Control Act TWA: Time Weighted Average

TCLP: Toxicity Characteristic Leaching Procedure

US: United States

VOC: Volatile Organic Compounds

Manufactured by Natural Essentials, INC. for Nautilus PPE LLC

125 Lena Drive Aurora, OH 44202 24 HOUR EMERGENCY: 1-800-728-2482 OTHER INFORMATION: 1-330-562-8022