## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	FIRST MARK FOAMING OVEN & GRILL CLEANER
Other means of identification	:	Not applicable
Recommended use	:	Grill Cleaner
Restrictions on use	:	Reserved for industrial and professional use.
Product dilution information	:	Product is sold ready to use.
Company	:	Performance Food Group 12500 West Creek Parkway Richmond, Virginia USA 23238 1-804-484-7700
Emergency telephone	:	1-800-535-5053
Issuing date	:	09/19/2014

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Flammable aerosols Gases under pressure Skin corrosion Serious eye damage Specific target organ systemic toxicity - single exposure	<ul> <li>Category 2</li> <li>Compressed gas</li> <li>Category 1A</li> <li>Category 1</li> <li>Category 3 (Respiratory system)</li> </ul>
GHS Label element	
Hazard pictograms	
Signal Word	: Danger
Hazard Statements	<ul> <li>Flammable aerosol.</li> <li>Contains gas under pressure; may explode if heated.</li> <li>Causes severe skin burns and eye damage.</li> <li>May cause respiratory irritation.</li> </ul>
Precautionary Statements	<ul> <li>Prevention: Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe dust or mist. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection. Intentional misuse by deliberate inhalation may be harmful or fatal.</li> <li>Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh</li> </ul>

	EYES: Rins contact lens Immediately contaminate Storage: Store in a w locked up. P exceeding 5 Disposal:	e cautiously with water for es, if present and easy to call a POISON CENTER of clothing before reuse. ell-ventilated place. Keep Protect from sunlight. Do n 0 °C/ 122 °F.	fortable for breathing. IF IN r several minutes. Remove do. Continue rinsing. or doctor/ physician. Wash container tightly closed. Store not expose to temperatures
Other hazards	: None knowr	1.	
SECTION 3. COMPOSITION	/INFORMATION	ON INGREDIENTS	
Pure substance/mixture	: Mixture		
<b>Chemical Name</b> sodium hydroxide 2-(2-butoxyethoxy)ethanol Aliphatic hydrocarbons propane		<b>CAS-No.</b> 1310-73-2 112-34-5 106-97-8 74-98-6	<b>Concentration (%)</b> 5 - 10 1 - 5 1 - 5 1 - 5
SECTION 4. FIRST AID ME	ASURES		
In case of eye contact	least 15 min		er, also under the eyelids, for at uses, if present and easy to do. on immediately.
In case of skin contact	a mild soap		ater for at least 15 minutes. Use g before reuse. Thoroughly clean ntion immediately.
If swallowed			uce vomiting. Never give person. Get medical attention
If inhaled	: Remove to f symptoms o		tically. Get medical attention if
Protection of first-aiders	: If potential for protective ed		Section 8 for specific personal
Notes to physician	: Treat sympton	omatically.	
See toxicological informati	ion (Section 11)		

See toxicological	information	(Section	11	)
-------------------	-------------	----------	----	---

SECTION 5. FIRE-FIGHTING MEASURES			
Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
Unsuitable extinguishing media	: High volume water jet		
Specific hazards during fire fighting	: Pressurised container: May burst if heated. Flammable aerosols		

Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus
Special protective equipment for fire-fighters	: Use personal protective equipment.
Specific extinguishing methods	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	:	Stop leak if safe to do so. Contain spillage, and then collect with non- combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.
SECTION 7. HANDLING AND	S	TORAGE

# Advice on safe handling: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not<br/>breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate<br/>ventilation. Contents under pressure. Do not puncture. Wash hands<br/>thoroughly after handling.Conditions for safe storage: Keep in a cool, well-ventilated place. Do not store near acids. Keep<br/>out of reach of children. Keep container tightly closed. Store in<br/>suitable labeled containers.Storage temperature: 0 °C to 50 °C

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium hydroxide	1310-73-2	Ceiling	2 mg/m3	ACGIH
		Ceiling	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z1
2-(2-butoxyethoxy)ethanol	112-34-5	TWA (Inhalable fraction and vapor)	10 ppm	ACGIH

Aliphatic hydrocarbons	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		STEL	1,000 ppm	ACGIH
propane	74-98-6	TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z1

Engineering measures	Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.	
Personal protective equipmen	t	
Eye protection	Safety goggles Face-shield	
Hand protection	<ul> <li>Wear the following personal protective equipment:</li> <li>Standard glove type.</li> <li>Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.</li> </ul>	
Skin protection	Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing	
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.	
Hygiene measures	<ul> <li>Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use.</li> <li>Wash face, hands and any exposed skin thoroughly after handling.</li> <li>Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.</li> </ul>	

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Compressed gas
Color	: clear, colorless
Odor	: No data available
рН	: 13.0 - 14.0
Flash point	: Not applicable
Odor Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: >100 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available

Water solubility	:	soluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Autoignition temperature	:	No data available
Thermal decomposition	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Molecular weight	:	No data available
VOC	:	No data available

#### SECTION 10. STABILITY AND REACTIVITY

Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	None known.
Incompatible materials	:	None known.
Hazardous decomposition products	:	Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus

#### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Eye contact
exposure		
		Skin contact

#### **Potential Health Effects**

Eyes	:	Causes serious eye damage.	
Skin	:	Causes severe skin burns.	
Ingestion	:	Causes digestive tract burns.	
Inhalation	:	May cause respiratory tract irritation. May cause nose, throat, and lung irritation. Intentional misuse by deliberate inhalation may be harmful or fatal.	
Chronic Exposure	:	Health injuries are not known or expected under normal use.	
Experience with human exposure			
Eye contact	:	Redness, Pain, Corrosion	
Skin contact	:	Redness, Pain, Corrosion	

Ingestion	:	Corrosion, Abdominal pain
Inhalation	:	Respiratory irritation, Cough
Toxicity		
Acute oral toxicity	:	Acute toxicity estimate : > 5,000 mg/kg
Acute inhalation toxicity	:	No data available
Acute dermal toxicity	:	Acute toxicity estimate : > 5,000 mg/kg
Skin corrosion/irritation	:	No data available
Serious eye damage/eye irritation	:	No data available
Respiratory or skin sensitization	:	No data available
Carcinogenicity	:	No data available
Reproductive effects	:	No data available
Germ cell mutagenicity	:	No data available
Teratogenicity	:	No data available
STOT-single exposure	:	No data available
STOT-repeated exposure	:	No data available
Aspiration toxicity	:	No data available
Ingredients		
Acute inhalation toxicity	:	Aliphatic hydrocarbons 4 h LC50 Rat: 280000 ppm

## SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Environmental Effects	: This product has no known ecotoxicological effects.
Product	
Toxicity to fish	: No data available
Toxicity to daphnia and other aquatic invertebrates	: No data available
Toxicity to algae	: No data available
Ingredients	
Toxicity to fish	: 2-(2-butoxyethoxy)ethanol 96 h LC50 Fish: 1,300 mg/l
	Aliphatic hydrocarbons 96 h LC50 Fish: 22.03 mg/l
Ingredients	
Toxicity to daphnia and other aquatic invertebrates	: sodium hydroxide 48 h EC50: 40 mg/l
Persistence and degradability	

#### Persistence and degradability

No data available

#### **Bioaccumulative potential**

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

SECTION 13. DISPOSAL CO	NSIDERATIONS
Disposal methods	: Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Disposal considerations	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re- use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (DOT)

UN number	: 1950
Description of the goods	: Aerosol, flammable
Class	: 2.1
Environmentally hazardous	: no
<b>Sea transport (IMDG/IMO)</b> UN number Description of the goods	: 1950 : Aerosol, flammable
UN number	

#### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know

#### **CERCLA Reportable Quantity**

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium hydroxide	1310-73-2	1000	13333

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 311/312 Hazards : Fire Hazard

Sudden Release of Pressure Hazard Acute Health Hazard

SARA 302	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.			
SARA 313	The following components are subject to reporting levels established by SARA Title III, Section 313:			
	2-(2-butoxyethoxy)ethanol 112-34-5	2.5 %		

#### California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### The ingredients of this product are reported in the following inventories:

#### United States TSCA Inventory :

On TSCA Inventory

#### Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL.

#### Australia Inventory of Chemical Substances (AICS) :

On the inventory, or in compliance with the inventory

#### New Zealand. Inventory of Chemical Substances :

On the inventory, or in compliance with the inventory

#### Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

#### Japan. ISHL - Inventory of Chemical Substances (METI) :

On the inventory, or in compliance with the inventory

#### Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory


#### Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

On the inventory, or in compliance with the inventory

# China. Inventory of Existing Chemical Substances in China (IECSC) :

On the inventory, or in compliance with the inventory

#### **SECTION 16. OTHER INFORMATION**



Issuing date:09/19/2014Version:1.0Prepared by:Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.